

# SUNNY BOATS PVT. LTD.

"Crafted Carefully"



Est: 1992

Certified by:



**SUNNY BOATS PVT LTD** as the very name indicates, started the production of Water Sports Equipments such as Rowing Boats (Pioneers in India), different models of Kayaks, Canoes, Canoe Polo etc- all in FRP – in the year 1992 at Pune , Maharashtra State , INDIA. We are having more than 28 years of experience in this field.

Now the company owns the skill and technical know-how to manufacture more than 130 types of products under one roof, which nobody in the world can claim or boast of. Our range of products include from **Single-man Kayak to 150men capacity Luxury Double Decker Tourist Sea-going Boat**. We are also manufacturing **Catamaran type boats which are widely used all over the world ranging from 20 seater to 150 seater capacity**. We are the major players in India in Water Sports, Tourism and Adventure Sports sectors and nobody can ignore our presence in the field of disaster management also.

All our indigenous products – Kayaks, Canoes ( both Racing and Recreation models), Rowing Boats, Canoe Polo, Pedal Boats, Catamaran Moveable Floating Jetties, Eco-friendly Electric Boats-battery run (first time in India), Luxury Tourist Double Decker Boats from 25 to 150men capacity , Traditional Kerala House Boats in Fibreglass, Eco-friendly Electric “River Bus” (a new concept and pioneered by us), Inflatable Boats, Rigid Inflatable boats, Swamp (Air) Boats (again pioneers), River Cleaning Boat (Pioneers) Rescue Boats, FRP Flat Bottom Boats, Water Scooters, FRP Shikarra , Small Fishing Boats, Floating Jetties, Life Jackets, Life Buoys etc.are manufactured under stringent quality control supervision, adopting to the latest international technology and composites. We are using the latest available composites such as Balsa Core / PVC Core sandwich construction with Isophthalic Marine grade Resin/Epoxy with Vacuum Resin System with an eye to reduce the weight of the products which will have direct impact on lesser fuel consumption,high speed,more strength,more rigidity,added stiffness,low maintenance cost.

We are proud to state that our boats are selected for conducting the National Games and Championships held for Rowing and Kayaking in India from 1994 onwards. The raw materials / accessories used in the above Boats are of the superior quality and almost major parts of the accessories used are imported ones.

Our prestigious clients are Telangana State Tourism Development Corporation, Andhra Pradesh Tourism, IWT Assam, Jungle Safari Raipur, Sports Authority of India, Meghalaya Tourism Development Corporation Ltd, Water Resources Departments, Tourism Departments of various States, Indian Army, Indian Navy, the Research and Development Establishment of the Army, various colleges and private Boat Clubs and Water Sports Centre’s all over the country. Besides, we believe in social cause. We, without expecting any remuneration, run Water Sports Centre’s in India to train the children in Rowing, Kayaking and Canoeing in search of new talents and thereby to promote Water Sports in India.



# PEDAL BOATS - STAR 2 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 2 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 2 people.

<b>Length</b>	: 9.5 ft
<b>Width</b>	: 5.5 ft
<b>Draft</b>	: 0.5 ft
<b>Overall Height</b>	: 2.8 ft
<b>Tare Weight</b>	: 90 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>CONSTRUCTION APPROVAL</b>	: By IRS (Indian Register of Shipping)



**Valuable Customers:**



TAMILNADU TOURISM



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"

# PEDAL BOATS - DUCK 2 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 2 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 2 people.

<b>Length</b>	: 8.85 ft
<b>Width</b>	: 5.5 ft
<b>Draft</b>	: 0.65 ft
<b>Tare Weight</b>	: 100 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>SEAT</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>Construction Approval</b>	: By IRS (Indian Register of Shipping)



**Valuable Customers:**



TAMILNADU TOURISM



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"

# PEDAL BOATS - FISH 2 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 2 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 2 people.

<b>Length</b>	: 9.35 ft
<b>Width</b>	: 6.2 ft
<b>Draft</b>	: 0.65 ft
<b>Tare Weight</b>	: 80 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>Construction Approval</b>	: By IRS (Indian Register of Shipping)



**Valuable Customers:**



TAMILNADU TOURISM



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.



# PEDAL BOATS - FROG 2 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 2 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 2 people.

<b>Length</b>	: 9.35 ft
<b>Width</b>	: 6.23 ft
<b>Draft</b>	: 0.65 ft
<b>Overall Height</b>	: 1.08 ft
<b>Tare Weight</b>	: 80 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>CONSTRUCTION APPROVAL</b>	: By IRS (Indian Register of Shipping)

**Valuable Customers:**



TAMILNADU TOURISM



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"

# PEDAL BOATS - STAR 4 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 4 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 4 people.

<b>Length</b>	: 13 ft
<b>Width</b>	: 5.5 ft
<b>Draft</b>	: 0.65 ft
<b>Overall Height</b>	: 2.8 ft
<b>Tare Weight</b>	: 150 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>CONSTRUCTION APPROVAL</b>	: By IRS (Indian Register of Shipping)



**Valuable Customers:**



TAMILNADU TOURISM



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"

# PEDAL BOATS - DRAGON 6 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 6 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 6 people.

<b>Length</b>	: 10.8 ft
<b>Width</b>	: 5.57 ft
<b>Draft</b>	: 2.95 ft
<b>Overall Height</b>	: 6.29 ft
<b>Tare Weight</b>	: 200 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>CONSTRUCTION APPROVAL</b>	: By IRS (Indian Register of Shipping)



**Valuable Customers:**



TAMILNADU TOURISM



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"



# PEDAL BOATS - DUCK 6 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 6 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 6 people.

<b>Length</b>	: 10.8 ft
<b>Width</b>	: 5.57 ft
<b>Draft</b>	: 2.95 ft
<b>Overall Height</b>	: 6.29 ft
<b>Tare Weight</b>	: 200 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested
<b>Drawing</b>	: Approved by IRS (Indian Register of Shipping)
<b>CONSTRUCTION APPROVAL</b>	: By IRS (Indian Register of Shipping)



**Valuable Customers:**



01 05 2016 13:03



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"

# PEDAL BOATS - STAR 6 SEATER

This boat is very popular among tourist sectors as it gives the tourists the feel of pedaling in water. The boats are made of FRP material and are provided with ergonomically designed bucket seats 6 Nos. A retractable/ foldable canopy shall be provided to give necessary protection to the occupants from sun & rain. The pedal boat would have the feel of water car when fitted with steering. Pedaling system is available for 6 people.

<b>Length</b>	: 16.4 ft
<b>Width</b>	: 5.4 ft
<b>Overall Height</b>	: 2.8 ft
<b>Tare Weight</b>	: 200 kgs
<b>Thickness</b>	: 4 to 6 mm
<b>Seat</b>	: FRP Bucket Seat with Buoyancy
<b>Construction</b>	: UV Self -Pigmented Gelcoat, Fibreglass, Owen Rowing, Isophthalic Marine Grade Resin.
<b>Servicing</b>	: Easy to service
<b>Quality</b>	: Quality Tested





## WATER SCOOTER

Water scooter is a recreational watercraft that the rider sits on rather than inside of, as in a boat. The Riders themselves can operate the scooter very easily. The boat hull is highly streamlined so that cruising need minimum power. All the above features make riding of this boat least tiresome and enjoyable.

Length O.A : 2.80 mtr.  
Width : 1.40 mtr.  
Overall Height : 0.50mtr  
Tare Weight : 100 Kgs  
Capacity : 2 seater  
Engine for Normal Speed : 9.9 / 15HP Outboard engine  
Construction : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.

### Valuable Customers:

**INDIAN NAVY**



**Jammu & Kashmir Police**  
جموں و کشمیر پولیس



**LITMUS MARINE**  
Jetties Marinas & Boats

# SPEED BOAT 4 SEATER



FRP Speed boats are manufactured from Marine grade FRP, with suitably contoured 'V' shaped hull to obtain high speed even in rough and choppy water. This boat can also be used for rescue purpose.

**Length O.A** : 4.80 mtr.

**Overall beam** : 1.70 mtr.

**Draught (Loaded)** : 0.35mtr

**Hull** : Contoured 'V' Type

**Capacity** : 4 seater

**Engine for Normal Speed:** 25HP Outboard engine with remote control steering system

**Engine for High Speed :** 40HP Outboard engine with remote control steering system

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.

**Canopy** : Available with FRP / Foldable PVC Cloth

**Approval** : **IRS (Indian Register of Shipping)** approved

**Valuable Customers:**



**INDIAN ARMY**

**INDIAN NAVY**



# SPEED BOAT 6 SEATER

FRP Speed boats are ideally best suited for Tourism Departments and for River navigation and is specially designed and developed to enjoy the adventure sports and for Rescue operations as well. The Boats are fitted with Remote Control Steering system and forward reverse in front of the Boat to control the OBM.

**Length O.A** : 5.30 mtr.

**Overall beam** : 1.70 mtr.

**Draught (Loaded)** : 0.35mtr

**Hull** : Contoured 'V' Type

**Capacity** : 6 seater

**Engine for Normal Speed** : 25HP Outboard engine with remote control steering system

**Engine for High Speed** : 40HP Outboard engine with remote control steering system

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.

**Approval** : IRS (Indian Register of Shipping) approved

**Valuable Customers:**





## SPEED BOAT 8 SEATER

Length O.A	: 5.80 mtr.
Overall beam	: 1.70 mtr.
Draught (Loaded)	: 0.35mtr
Hull	: Contoured 'V' Type
Capacity	: 8 seater

**Engine for Normal Speed** : 15HP Outboard engine with remote control steering system

**Engine for High Speed** : : 50HP Outboard engine with remote control steering system

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.Fittings with sun and wind guard.

**Canopy** : Available with FRP Canopy

**Approval** : **IRS (Indian Register of Shipping) approved**

### Valuable Customers:



# SPEED BOAT 10 SEATER



- Length O.A** : 6.2 mtr  
**Breadth** : 2.30mtr  
**Draft** : 0.30mtr  
**Hull** : Contoured 'V' Type  
**Capacity** : 10 seater  
**Engine for Normal Speed** : 15HP Outboard engine with remote control steering system  
**Engine for High Speed** : 60HP Outboard engine with remote control steering system  
**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.  
**Canopy** : Also available with FRP Canopy  
**Approval** : **IRS (Indian Register of Shipping)** approved

## Valuable Customers:



INDIAN ARMY

INDIAN NAVY

# HIGH SPEED BOAT 12-16 SEATER

**Length O.A** : 7.6mtr  
**Breadth** : 0.25mmtr  
**Depth** : 0.9mmtr  
**Draft** : 0.35mtr  
**Hull** : Contoured 'V' Type  
**Capacity** : 12-16 seater  
**Engine for Normal Speed** : 25HP Outboard engine with remote control steering system  
**Engine for High Speed** : 90HP Outboard engine with remote control steering system  
**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.  
**Approval** : IRS (Indian Register of Shipping) approved

**This boat was supplied to National Defence Academy, Pune with 250hp Engine which gave a speed of more than 35 knots**

## Valuable Customers:

INDIAN ARMY

INDIAN NAVY



Defence Services Staff College

Yuddham Pragya | To War With Wisdom



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"





## SPEED BOAT 15 SEATER

Length O.A	: 7.60 mtr.
Overall beam	: 2.30 mtr.
Draught (Loaded)	: 0.35mtr
Hull	: Contoured 'V' Type
Capacity	: 15 seater

**Engine for Normal Speed** : 15HP Outboard engine with remote control steering system

**Engine for High Speed** : 50HP Outboard engine with remote control steering system

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.

**Canopy** : Also available with FRP Canopy

**Approval** : IRS (Indian Register of Shipping) approved

**Additional Features** : Also available with covered AC cabin along with Luxury seatings

### Valuable Customers:



# SPEED BOAT 20 SEATER



**Length O.A** : 10.6 mtr  
**Breadth** : 2.50 mtr  
**Draft** : 0.35 mtr  
**Hull** : Plaining 'V' Type  
**Capacity** : 20 seater

**Engine for Normal Speed** : 40HP Outboard engine with remote control steering system

**Engine for High Speed** : 150HP Outboard engine with remote control steering system

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.

**Canopy** : Also available with FRP Canopy

**Approval** : IRS (Indian Register of Shipping) approved



**Valuable Customers:**



INDIAN ARMY

INDIAN NAVY

# PARASAILING BOAT WITH WINCH OPERATED SYSTEM



The parasailing boats introduced by us are a much sought after product by many customers.

The boat in FRP materials is specially designed and developed to give maximum enjoyment in adventure sport for sailing 100ft over the ocean . The boat is fitted with Remote Control steering forward reverse gear shift arrangement in front of the boat to control Volvo Penta Inboard Stern Drive engine( 340 HP ) with winch operating equipments and other related parasailing fitments.

**Length O.A** : 10.6 mtr

**Breadth** : 2.50 mtr

**Draft** : 0.35 mtr

**Hull** : Plaining 'V"Type

**Capacity** : 10 seater

**Engine for High Speed** : 340 HP OBM –Petrol Volvo Penta

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System. Fittings with sun and wind guard.

**Speed** : 20-25 Knots

**Approval** : **IRS (Indian Register of Shipping)** approved

**Valuable Customers:**

**INDIAN ARMY**

**INDIAN NAVY**

# HIGH SPEED BOAT WITH JET PROPULSION ENGINE

<b>Length O.A</b>	: 10.00 mtr's
<b>Length W.L</b>	: 09.61 mtrs
<b>Overall beam</b>	: 02.50 mtrs
<b>Height</b>	: 0.90 mtr
<b>Draught (Loaded)</b>	: 00.35 mtr
<b>Hull</b>	: Contoured 'V' Type
<b>Capacity</b>	: 25 seater with FRP Seats
<b>Railings</b>	: Yes
<b>Canopy</b>	: FRP Canopy
<b>Construction</b>	: U V self pigmented, Marine Grade Isophthalic Gelcoat, Marine grade Isophthalic Resin, Chopped Strand Mat, Biaxial Glass Fabric, Polyurethane foam, Teak wood in transom and highly stressed areas, additional layers at keel, chine and transom.. Sandwich Construction with PVC core Vacuum Infusion & Vacuum Bag System.
<b>Engine Details</b>	: STEYRMOTORS SE 6-Cylinder Power 88-215 KW / 292 HP
<b>Jet Propulsion Details</b>	: Alamarin jet AJ245 Max Input power 235KW / 320HP
<b>Speed</b>	: 35 Knots

Valuable Customers:



[www.sunnyboats.in](http://www.sunnyboats.in)

"Crafted Carefully"



## SEA GOING DOUBLE DECKER BOAT

We have manufactured Fibre Reinforced Plastic (FRP) Luxury Tourist Double Decker Boat of 60 Passenger capacity which is suitable for sea, river and lake.

Bed rooms can also be built on the hull to facilitate luxurious trips also. Variants of this model can be built according to customer requirements with VIP seats, furnishings and air-conditioned luxury rooms.

The design and drawings of this boat is approved by Indian Register of Shipping (IRS).

**Length O.A** : 15.5 mtr.

**Breadth** : 4.60 mtr.

**Depth Mld** : 1.50 mtr

**Draft** : 00.60 mtr

**Hull** : Contoured 'V' Type

**Capacity** : 60 seater

**Engine** : Inboard / Outboard

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.

**Approval** : **IRS (Indian Register of Shipping) approved**

### Valuable Customers:



# CATAMARAN BOAT 25 SEATER



<b>Length O.A</b>	: 7.00 mtr
<b>Breadth</b>	: 3.50 mtr
<b>Height</b>	: 1.20 mtr
<b>Draft</b>	: 0.35 mtr
<b>Hull</b>	: Plaining 'V' Type
<b>Capacity</b>	: 25 seater
<b>Thickness</b>	: 5 to 6 mm
<b>Recommended Engine</b>	: 25HP Outboard engine with remote control steering system
<b>Construction</b>	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
<b>Canopy</b>	: FRP Canopy
<b>Fender</b>	: Rubber fender mounted in all-around the boat to prevent abrasion while going along side of jetty or other vessels



## Valuable Customers:



TELANGANA STATE  
TOURISM DEVELOPMENT  
CORPORATION LTD.





# TRIMARAN BOAT 40 SEATER

<b>Length O.A</b>	: 7.00 mtr
<b>Breadth</b>	: 3.50 mtr
<b>Height</b>	: 1.20 mtr
<b>Draft</b>	: 0.35 mtr
<b>Hull</b>	: Plaining 'V"Type
<b>Capacity</b>	: 25 seater
<b>Thickness</b>	: 5 to 6 mm
<b>Recommended Engine</b>	: 25HP Outboard engine with remote control steering system
<b>Construction</b>	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
<b>Canopy</b>	: FRP Canopy
<b>Fender</b>	: Rubber fender mounted in all-around the boat to prevent abrasion while going along side of jetty or other vessels

## Valuable Customers:

# LUXURY CRUISE 50 SEATER CATAMARAN BOAT

**Length O.A** : 14.00 mtrs  
**Overall beam** : 05.00M  
**Height** : 1.50 M  
**Draught** : 0.50M  
**Capacity** : 50 seater with FRP Seats  
**Construction** : U V self pigmented, Marine Grade Isophthalic Gelcoat, Marine grade Isophthalic Resin, Chopped Strand Mat, Biaxial Glass Fabric, Polyurethane foam, Teak wood in transom and highly stressed areas, additional layers at keel, chine and transom.. Sandwich Construction with PVC core Vacuum Infusion & Vacuum Bag System.

**Recommended Engine** : Twin 40HP Outboard engine with remote control steering system

**Interior** : Bus type seating arrangement, Padded cushion seats, Marine carpet

**Exterior** : Pontoons with full length keel ,Mooring cleats, Protective grab rail , Battery tray, Navigation lights, Docking lights, Search light, Waterproof wiring connectors, Custom painting, Aluminum helm, Outboard mountings, Side railings, Fwd and Aft railings, Canopy frame, Canvas top, Navigation lights, Battery isolation switch, DC panel at Helm, Carpet Deck, Compass

**Valuable Customers:**







## LUXURY RIVER BUS

**NOW GO FOR 365 DAYS TOURISM, beat the sunlight and the rains!!! It is fully air-conditioned!**

**Enjoy the ride in a RIVER BUS!! Yes, we have developed a product named " ECO – FRIENDLY RIVER BUS" made fully in Fibreglass. It can be propelled with a 40 HP OBM and the speed is 20 Km/hr with 30 passengers + driver and the buoyancy is 5000 Kg.**

**The design and drawings of hull of River Bus are approved by Indian Register of Shipping (IRS).**

<b>Length O.A</b>	: 8.00 mtr.
<b>Breadth</b>	: 2.86 mtr.
<b>Depth Mld</b>	: 1.10 mtr
<b>Draft</b>	: 00.50 mtr
<b>Capacity</b>	: 32 seater
<b>Engine</b>	: Hybrid (Electric / Ouboard)
<b>Construction</b>	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion system.
<b>Interiors</b>	: Fully Air Conditioned, Luxury Seats, Fans, Lights, Refrigerator, Generator Etc. And More.....
	As Per customer requirements.
<b>Ideal for</b>	: All Tourism Departments, Wild Life Sanctuaries, Lakes, Rivers And Dams and anywhere except Sea.

**Valuable Customers:**



# SHIKARA 6 / 12 SEATER



The conventional Kashmiri Shikara is re-created in Fibreglass for the first time in India in our factory with the same wooden look and finish without losing the elegance and flavour of wooden Kashmiri Shikara!!

The hull of FRP Shikara is a single piece made out from a single mould. The interior of boat is panelled with pinewood and the floor is also wooden. The FRP Shikara Boat is provided with cushion seats and bed; side curtains are provided for privacy for family and couples. The wooden floor is easily detachable and could be removed during rainy season.



Length O.A	: 22 ft / 32ft
Breadth	: 5ft
Depth at centre line	: 1ft
Buoyancy	: 1500 kgs
Capacity	: 6 seater / 12 seater
Thickness	: 5 to 6 mm
Engine	: 5HP Outboard engine
Construction	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
Canopy	: FRP Canopy

Valuable Customers:





## FLAT BOTTOM BOAT 14 / 20 SEATER

This is a multi-purpose boat. It is having a wide bottom and it can run in minimum level of water. It can be propelled either with an OutBoard Motor or manually with wooden oars. The boat is so stable and safe and is made out of Fibreglass materials. It is so ideal for rescue operations and it can reach any nook and corner of the affected area during the floods.

<b>Length O.A</b>	: 14ft / 17ft
<b>Width</b>	: 7.3 ft
<b>Height</b>	: 1.1 ft
<b>Weight</b>	: Approx 200 kgs
<b>Capacity</b>	: 14 persons bucket seats / 20 persons bucket seats
<b>Engine</b>	: 15hp Outboard Engine
<b>Construction</b>	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
<b>Canopy</b>	: FRP Canopy

### Valuable Customers:



# ECO-FRIENDLY ELECTRIC BOAT

We have successfully designed, developed and manufactured the electric powered eco-friendly boat in our company. The electric boats are noiseless, vibration free and do not pollute the environment. Fitted with rechargeable batteries, these boats can run for 6-8 hours on one single charge. Eco- Tourism focuses on enjoyment of nature without destroying it, hence the electric boats are becoming very popular in eco-tourism.

This type of boat would be most suitable for using in bird and wildlife sanctuaries for sightseeing without disturbing the animals and the birds, especially in clean lakes where use of Outboard Motors / Inboard Diesel Engines are prohibited. The boats being made of Fibre Glass, it does have a very long life.

<b>Length O.A</b>	: 3.90 mtrs
<b>Breadth</b>	: 01.66 mtrs
<b>Height</b>	: 0.70 mtr
<b>Battery</b>	: 1 set (2 nos) battery
<b>Volts</b>	: 12 volts
<b>Charges</b>	: 01 No
<b>Capacity</b>	: 6-8 seater
<b>Construction</b>	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.

## Valuable Customers:





## MULTIPURPOSE ROW BOAT

A multipurpose boat manufactured by us on a Novel Trimaran Hull Configuration is a multi-utility boat, which can be powered both by fitting on an Out Board Motor on the transom provided OR can be rowed through the oarlocks and oars that are provided with the boat.

It can seat 6 people on bench seats and can be used for Pleasure Boating, Rescue, Rowing and Towing.

**Length O.A** : 3.37 mtr

**Breadth** : 1.70 mtr

**Capacity** : 6 seater

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.

**Oars** : 2 Nos

### Valuable Customers:



# RIGID INFLATABLE BOAT



Manufactured out of marine grade Fibreglass and suitably complemented by high density rubberized (HYPALON) fabric, the boat is extremely stable and safe.

As the name suggests, this boat is a combination of fibreglass and an inflatable collar around the upper part of fibre portion. It has got high speed due to its 'V' shaped fibreglass hull. The inflatable skirt all around the boat provides safety to the people and prevents injury to the person in the water as well.

The FRP hull is filled with P.U. foam and thus unsinkable. The buoyancy chamber of the inflated rubber collar has five independent chambers so that in case of accident and damage to two or three chambers, the boat will still be serviceable with full load. The Hypalon material Polyimide fabrics coated is imported from **Pennel & Flipo**.

**Length O.A** : 3.80 mtr / 4.70 mtr / 5.40 mtr

**Breadth** : 1.60 mtr / 2.10 mtr / 2.30 mtr

**No of Chambers** : 3 Nos / 5 Nos / 5 Nos

**Buoyancy diameter** : 0.35 mtr / 0.50 mtr / 0.50 mtr

**Capacity** : 6 seater / 10 seater / 12 seater

**Hull Construction** : Fibreglass, U.V. resistance Gelcoat, Epoxy resin with vacuum infusion system and sandwich core material

**Recommended Engine** : 40hp Outboard Engine and above

**Collar** : The inflatable collar will conform to the highest military specifications for heavy duty use. It will be made from the best imported Hypalon material Polyimide fabrics coated with Neoprene & Hypalon - ORCA® 866 Make, Pennel & Flipo, Belgium

Valuable Customers:

**INDIAN NAVY**



**INDIAN ARMY**



# KERALA TRADITIONAL HOUSE BOAT

We have launched a new technology for building house boats which is a unique design so as to transport to anywhere around the world. The technology is patented and is designed to enjoy particularly for family and for corporate meetings.

**Length O.A** : 19.00 mtrs (1BHK)

**Length O.A** : 25.00 mtrs (2BHK)

**Length O.A** : 30.00 mtrs (3BHK)

**Breadth** : 05.00M

**Depth** : 1.50 M

**Design** : FRP Catamaran hull capable of operating at sea shore and Inland water. Construction can be done in presence of IRS/Under IV act rule

**Specification** : AC Luxurious Bedroom, kitchen, and sit out area.

**Structure** : Super Structure will be done with traditional houseboat manufacturing equipments and other items will be of superior quality.

**Accessories** : TV, Fridge, AC, 10KVA Genset.

**Engine** : Ashok Leyland engine

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.





## SWAMP (AIR) BOAT

Swamp (Air) Boat can be effectively employed in Wild Life sanctuaries, Crocodile dominated areas, Dolphin dominated areas, Creek areas (e.g. Kutch, Gujarat) etc. It is ideal for adventure savvy tourists who like to go to interior creeks and marshy lands. Swamp boat is a watercraft, which has an air propulsion system, i.e., it has a propeller which pushes air to the rear and provides the thrust to drive the craft forward. Since no part of the propulsion system is underwater, the airboat can be operated easily in water with lesser depth.

Ideal environment for the Swamp is shallow, weed choked, hyacinth infested rivers, lakes and swamps that restrict movement of conventional boats because their underwater propellers get entangled and damaged, due to the undergrowth.

**It is various famous in tourist sectors.**

**Valuable Customers:**

**HQ NORTHERN COMMAND**

**EASTERN COMMAND**



**Jammu & Kashmir Police**

**جموں و کشمیر پولیس**



**Length O.A** : 5.00 mtr.

**Breadth** : 2.50 mtr.

**Height** : 1.90 mtr

**Hull** : Contoured 'V' Type

**Capacity** : 10 seater

**Propeller** : 2.50 mtr. dia, with laminated wood, two blade

**Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Lavers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.





## ALUMINIUM SWAMP (AIR) BOAT

Swamp (Air) Boat can be effectively employed in Wild Life sanctuaries, Crocodile dominated areas, Dolphin dominated areas, Creek areas (e.g. Kutch, Gujarat) etc. It is ideal for adventure savvy tourists who like to go to interior creeks and marshy lands. Swamp boat is a watercraft, which has an air propulsion system, i.e., it has a propeller which pushes air to the rear and provides the thrust to drive the craft forward. Since no part of the propulsion system is underwater, the airboat can be operated easily in water with lesser depth.

Ideal environment for the Swamp is shallow, weed chocked, hyacinth infested rivers, lakes and swamps that restrict movement of conventional boats because their underwater propellers get entangled and damaged, due to the undergrowth.

<b>Length O.A</b>	: 7.70 mtr.
<b>Breadth</b>	: 2.50 mtr.
<b>Height</b>	: 0.70 mtr
<b>Construction</b>	: Marine Grade Aliminium suitable engine 350/330 HO deluxe vortec motor with vortec cast heads
<b>Horsepower</b>	: 330@5000 RPM
<b>Torque</b>	: 380 Ft. Lbs@3800 RPM
<b>Max. recommended RPM</b>	: 5500
<b>Crankshaft</b>	: 14088527 Nodular cast iron

**Pistons** : 12361371 Cast alumnum

### Valuable Customers:

**HQ NORTHERN COMMAND**



**EASTERN COMMAND**

# ALUMINIUM TRIPLE PONTOON 8 -10 SEATER

A tritoon is a triple-hull pontoon boat. Instead of having two large aluminum tubes beneath the deck, a tritoon has a third tube in the center that distributes weight even more evenly over the water. This added stability and structure also means the boat can handle more horsepower than a typical double-hull pontoon boat.

**Pontoon length** : 6.8 mtr  
**Deck size** : 6.5 mtr x 2.4 mtr  
**Overall length** : 7.0 mtr  
**Overall width** : 2.4 mtr  
**Pontoon dia** : 0.6 mtr  
**Capacity** : 8+2 seater  
1 Captain seat  
9 seater (Sofa set)  
**Canopy** : Full Canopy  
**Construction** : Aluminum Marine Grade





# ALUMINIUM TRIPLE PONTOON 15 SEATER

A tritoon is a triple-hull pontoon boat. Instead of having two large aluminum tubes beneath the deck, a tritoon has a third tube in the center that distributes weight even more evenly over the water. This added stability and structure also means the boat can handle more horsepower than a typical double-hull pontoon boat.

**Pontoon length** : 7.5 mtr

**Deck size** : 7.2 mtr x 2.4 mtr

**Overall length** : 7.8 mtr

**Overall width** : 2.4 mtr

**Pontoon dia** : 0.6 mtr

**Capacity** : 15 seater

1 Captain seat

14 seater (Sofa set)

**Canopy** : Full Canopy

**Construction** : Aluminum Marine Grade

**Valuable Customers:**



# ALUMINIUM TRIPLE PONTOON 25 SEATER

A tritoon is a triple-hull pontoon boat. Instead of having two large aluminum tubes beneath the deck, a tritoon has a third tube in the center that distributes weight even more evenly over the water. This added stability and structure also means the boat can handle more horsepower than a typical double-hull pontoon boat.

**Length** : 9 metre  
**Width** : 2.50 metre  
**Capacity** : 20-25 seater  
**Pontoon** : Three

**Material Construction** : Marine aluminum. Every part of aluminum boat is marine grade, Corrosion resistance.

**Accessories Included** : Water proof Captain seat, Fiberglass Steering console, Water proof Fold canopy, Waterproof Sofa seat, Marine deck/floor, 12V40A Battery, Compass, 12V cigar lighter, SS Ladder, Bow sides Right/left light, Port light

Valuable Customers:



# FRP FLOATING JETTY

We have developed our own floating dock system with Fibreglass and this is an integral part of infrastructure to be installed by any sports centre for the protection of boats. This is also essential for embarking and disembarking to / from boats. The jetties are attached to the banks of water bodies and the boats can be tied up with jetty. It also prevents boats from dashing to the banks of the water body and thus can prevent damages caused thereby.

**Length** : 8 fts  
**Width** : 6.5 fts  
**Height** : 18 inches  
**Buoyancy** : 2000 kgs

**Material Construction** : The Floating Jetty consists of panels made out of Fibre Reinforced Plastic (FRP) with internal honey comb structure with vacuum infusion resin system and a deck formed of chequered anti skid plate to prevent accidents from slipping.

**Main Features** : Modular Construction, Easy/Fast installation/Anti-skid surface/U V Protected/More stable/Excellent Buoyancy

**Minimum maintenance** : Unbelievable durability/PVC Pipe Fender all around the module/  
Connectors: SS Plate, Nut and bolts.

**Railings** : MS Railings PU Coated with nut and bolt

Valuable Customers:






## FLOATING CUBES

**LLDPE - Linear low-density polyethylene** is easily available in Indian Market. Its more flexible, due to its flexibility it confirms well to a variety of surfaces. LLDPE is used for a tremendous amount of strength to absorb impacts.

The specifications of HDPE Blocks are as under:  
 REENETHENE G-9641U is a Hexene Co-polymer based Linear Low Density Polyethylene Resin (LLDPE) in powder form which is designed for Rotational molding applications, additivated with antioxidants and UV stabilizers. Items produced by GREENETHENE G-9641U have an excellent stiffness.

**Size** : 500mm X 500mm X 400mm  
**Weight** : 7.600 kgs

Valuable Customers:



**HDPE Docks - High-density polyethylene** which are modular in nature and also have extralong life upto 15 years. The 3D Design makes the Docks interlocking in nature. These HDPE buoys are Cubical in shape and modular in nature that enable easy assembly and dismantling. Being modular in nature, they can be easily arranged to form a Floating Jetty / Platform of any Size (each)!

The specifications of HDPE Blocks are as under:  
**Dimension** : 50cm x 50cm x 40cmL x W x H)  
**Weight** : 7.0Kgs/ pc ± 0.3Kgs/ pc  
**Load Capacity** : 350Kgs/ m2  
**Raw Material** : High Molecular Weight (HMW) HDPE.



# MOVEABLE CATAMARAN FLOATING JETTY

- Length O.A** : 16 mtr / 22 mtr  
or as per customer requirement
- Width** : 7.30 mtr
- Depth** : 1.02 mtr
- Buoyancy** : 1500 kgs
- Thickness** : 5 to 6 mm
- Recommended Engine for 16mtr** : Single 40HP OBM
- Recommended Engine for 22mtr** : Twin 40HP OBM
- Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
- Canopy** : FRP Canopy
- Main Features** : Custom-made design which can be converted to any shapes / Modular Construction, Easy/ Fast installation/Anti-skid surface/U V Protected/More stable/Excellent Buoyancy
- Minimum maintenance** : Unbelievable durability/PVC Pipe Fender all around the module/Connectors: SS Plate, Nut and bolts.

**Drawing** : Drawing approved by IRS (Indian Register of Shipping)

**Valuable Customers:**





## MOVEABLE FLOATING RESTAURANT

The movable floating restaurant gives you a feel of a luxury hotel on water. This will give a feel of enjoying a ride in water as well as partying. The floating restaurant will help you out to enjoy the backwaters and nature, at same time official conference and party can be done.

- Length O.A** : 25 metre or custom-made
- Width** : 10 metre
- Hull Height** : 1.50 metre approx
- Capacity** : upto 200 persons
- Double Decker** : Yes
- Construction** : UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
- Engine** : Outboard Engine
- Lower Deck** : AC Restaurant
- Upper Deck** : Conference Hall and Party Hall





# AMBULANCE BOAT

<b>Length O.A</b>	: 10 mtr
<b>Breadth</b>	: 2.5 mtr
<b>Depth</b>	: 0.9 mtr
<b>Draft</b>	: 0.35 mtr
<b>Hull</b>	: Contoured 'V' Type
<b>Capacity</b>	: 5 seater
<b>Crew</b>	: 2 seater
<b>Personal belonging</b>	: 200 Kg
<b>Engine</b>	: 75HP/90HP 4 stroke Outboard engine with remote control steering system
<b>Speed</b>	: 10-12 knots
<b>Construction</b>	: UV self pigmented marine Grade Isophthalic Gel coat, Marin Grade Isophthalic resin, Additional Layers at Keel, Chine and transom. Sandwich construction with PVC core vacuum infusion System.
<b>Patients Cabin</b>	: Two stretchers for patients, FRP sitting arrangement for 1 Doctor and 2 Nurses
<b>Life saving equipment's</b>	: Anchor with rope, Lifebuoy, Life Jacket and Fire extinguisher
<b>Power Generation sets</b>	: 1 portable silent Gen set (5 KVA)
<b>Air conditioner</b>	: 1 split type AC x 1.5 ton cap
<b>Approval</b>	: IRS (Indian Register of Shipping)





# FRP DOUBLE DECKER CATAMARAN LUXURY CRUISE BOAT - 80 SEATER

<b>Length O.A</b>	17.00 mtr
<b>Length W.L</b>	16.48 mtr
<b>Breadth O.A</b>	07.00 mtr
<b>Breadth each hull</b>	02.00 mtr
<b>Gap between Hulls</b>	03.00 mtr
<b>Depth</b>	01.60 mtr
<b>Draught Mean</b>	00.70 mtr
<b>Length First Deck</b>	13.00 mtr
<b>Breadth First Deck</b>	07.00 mtr
<b>Passenger Capacity</b>	80 Nos
<b>Crew</b>	06 Nos
<b>Speed</b>	08 knots

**Propulsion Inboard engine** - 2 Nos – 108HP@2400RPM

**Gear box** - 2 Nos – Hydraulic Ratio 2.06:1

**Construction** : FRP- UV Self-Pigmented gel coat, Fiber glass, Isophthalic Marine Grade Resin ,Chopped Strand Mat & Woven roving, Polyurethane foam to be filled in the void compartments, Transom to be made of marine plywood, additional layers at keel, chine and transom, deck and cross deck to be of sandwich Construction with PVC Core.

**Deck** Double - lower deck closed cabin with sliding / fixed windows with air conditioning, Upper deck open seating with canopy

**Fender** Molded D-shape heavy duty Rubber fenders

**Other Features** Navigational lights, Search light, Horn, interiors and exteriors ,Water capacity 500 liters, Additional Western Toilets, Store Room, Galley and Pantry

**Drawing Approval** Indian Register of Shipping (IRS)

**Construction Approval** Indian Register of Shipping (IRS)



Sunny Boats Private Limited  
 D2 MIDC, Plot no.54, 24 & 25  
 Behind to Bola Hotel / Sai Krupa Travels  
 Chinchwad, Pune - 411019



: 9371019349 / 7620013308  
 8007516824



: 7620013308



: sunnyboats12@gmail.com  
 marketing@sunnysportsboats.com



: www.sunnysportsboats.com  
 www.sunnyboats.in  
 www.sunnywatersports.in

**We are specialized in making custom-made boats.**

## OUR PRESTIGIOUS PROJECTS:-



Catamaran Cruise



Catamaran Cruise  
 Double Decker



House Boats



Swimming Pool



Floating Restaurant



Swamp Boat

## OUR OTHER PRODUCTS:-

- Kayak Boats
- Canoe Boats
- Rowing Boats
- Sailing Boats
- Adventure Sports
- Disaster Management (Rescue Items)
- Swimming Pool

